

Provisionally accepted for publication

LETTER TO THE EDITOR

Life After COVID-19: get your unit ready

Running head: Be ready for life after COVID-19

Doi: 10.36129/jog.2022.63

Gianluigi **Califano** MD,¹ Elisabetta **Gragnano** MD¹

¹Department of Neuroscience, Reproductive Sciences and Dentistry, School of Medicine,
University of Naples Federico II, Naples, Italy

Correspondence: Elisabetta Gragnano, MD. Department of Neuroscience, Reproductive Sciences
and Dentistry, School of Medicine, University of Naples Federico II, Naples, Italy

Email: elisabettagragnano@gmail.com

Key words: COVID-19, coronavirus, 2019-nCoV, influenza, vaccine

The COVID-19 outbreak have posed significant risk to public health.¹⁻⁶ In obstetrics and gynecology, COVID-19 pandemic is associated with significantly higher risk of maternal and perinatal complications,⁴⁻¹⁵ but also challenges and issues about organizing labor and delivery unit,¹⁶⁻¹⁸ training program,¹⁹ vaccination,²⁰⁻²³ and family planning services.^{24,25}

During the pandemic labor and delivery units have been revolutionized in terms of organization and services.^{18,26} Scheduled visits have been limited or postponed, and unnecessary visits or ultrasounds scans avoided. Patients are now triaged the day before by phone and ask for any signs or symptoms. Women at risk for fever or cough, postponed. Visitors have been avoided, along with students and trainees. Organization of the triage and of the labor ward has also been a matter of concerns. Theoretically we should keep separately women with COVID-19 from other patients. But it is in fact very difficult, due to the high rate of false negative tests among rapid tests.

We are now going to a new stage of the diseases. Covid-19 is likely to fade away in 2022 or 2023.

And therefore, how we can get our unit ready for post-pandemic?

Pandemics do not die, but they fade away. Maybe there will be local or seasonal flare-ups, especially in non-vaccinated or under vaccinated populations. However, our organization in labor and delivery units maybe will not disappear soon, if ever. The pandemic will create long-lasting and surprising effects and we need to build our post-pandemic confidence. We, in fact, need to keep the good behavior that we learnt with the pandemic. These include the improved health and hygiene, wearing mask in the hospital, testing for symptoms of infections, limiting visitors, and checking for temperature. Telemedicine is another great improving in medicine.

We need to prepare our post-pandemic hospitals. We need to prepare our post-pandemic world.

Disclosure: *The authors report no conflict of interest*

Financial Support: *No financial support was received for this study*

REFERENCES

1. Creta M, Sagnelli C, Celentano G, Napolitano L, La Rocca R, Capece M, Califano G, Calogero A, Sica A, Mangiapia F, Ciccozzi M, Fusco F, Mirone V, Sagnelli E, Longo N. SARS-CoV-2 infection affects the lower urinary tract and male genital system: A systematic review. *J Med Virol.* 2021 May;93(5):3133-3142. doi: 10.1002/jmv.26883. Epub 2021 Mar 1. PMID: 33595134; PMCID: PMC8013185.
2. Gerundo G, Collà Ruvolo C, Puzone B, Califano G, La Rocca R, Parisi V, Capece M, Celentano G, Creta M, Rengo G, Leosco D, Abete P, Longo N, Mirone V, Ferrara N. Personal protective equipment in Covid-19: Evidence-based quality and analysis of YouTube videos after one year of pandemic. *Am J Infect Control.* 2022 Mar;50(3):300-305. doi: 10.1016/j.ajic.2021.11.013. Epub 2021 Nov 26. PMID: 34843859; PMCID: PMC8620170.
3. Vitale E, Canonico A. Obstetric nursing reorganization in pregnancy during the Covid-19 pandemic: a proposal integrative review of the literature. *Ital J Gynaecol Obstet.* Vol. 33 (No. 3) 2021 September , 190-196 doi: 10.36129/jog.33.03.07
4. Carbone L, Raffone A, Travaglino A, Sarno L, Conforti A, Gabrielli O, De Vivo V, De Rosa M, Migliorini S, Saccone G, Locci M, Alviggi C, Mollo A, Guida M, Zullo F, Maruotti GM. Obstetric A&E unit admission and hospitalization for obstetrical management during COVID-19 pandemic in a third-level hospital of southern Italy. *Arch Gynecol Obstet.* 2021 Aug 29:1–9. doi: 10.1007/s00404-021-06212-6. Epub ahead of print. PMID: 34455467; PMCID: PMC8403252.
5. Di Mascio D, Buca D, Berghella V, Khalil A, Rizzo G, Odibo A, Saccone G, Galindo A, Liberati M, D'Antonio F. Counseling in maternal-fetal medicine: SARS-CoV-2 infection in pregnancy. *Ultrasound Obstet Gynecol.* 2021 May;57(5):687-697. doi: 10.1002/uog.23628. PMID: 33724545; PMCID: PMC8251147.
6. D'Antonio F, Sen C, Mascio DD, et al.. Maternal and perinatal outcomes in high vs low risk-pregnancies affected by SARS-COV-2 infection (Phase-2): The WAPM (World Association

- of Perinatal Medicine) working group on COVID-19. *Am J Obstet Gynecol MFM* 2021 Feb 20;3(4):100329
7. WAPM (The World Association of Perinatal Medicine) working group on COVID-19. Maternal and Perinatal Outcomes of Pregnant Women with SARS-COV-2 infection. *Ultrasound Obstet Gynecol.* 2021 Feb;57(2):232-241
 8. Carbone L, Esposito R, Raffone A, Verrazzo P, Carbone IF, Saccone G. Proposal for radiologic diagnosis and follow-up of COVID-19 in pregnant women. *J Matern Fetal Neonatal Med.* 2020 Jul 16:1-2. doi: 10.1080/14767058.2020.1793325
 9. Api O, Sen C, Debska M, Saccone G, D'Antonio F, Volpe N, Yayla M, Esin S, Turan S, Kurjak A, Chervenak F. Clinical management of coronavirus disease 2019 (COVID-19) in pregnancy: recommendations of WAPM-World Association of Perinatal Medicine. *J Perinat Med* 2020 Nov 26;48(9):857-866
 10. Di Mascio D, Sen C, Saccone G, et al. Risk factors associated with adverse fetal outcomes in pregnancies affected by Coronavirus disease 2019 (COVID-19): a secondary analysis of the WAPM study on COVID-19. *J Perinat Med* 2020 Nov 26;48(9):950-95
 11. V. Stampini, R. Amadori, L. Bracci Laudiero, N. Vendola, D. Pires Marafon, M. Gerbino, V. Piccirillo, E. Rizza, C. I. Aquino, D. Surico. Covid-19 seroprevalence in a group of pregnant women compared to a group of non-pregnant women. *Ital J Gynaecol Obstet.* Vol. 33 (No. 4) 2021 December , 235-240 doi: 10.36129/jog.33.04.03
 12. Spiniello L, Di Mascio D, Bianco C, Esposito O, Giangiordano I, Muzii L, Giancotti A, Brunelli R, Saccone G. All we know about COVID-19 in pregnancy: from perinatal to ethical and psychological perspective. *Perinatal Journal* 2020; 28:120-126
 13. Saccone G, Carbone FI, Zullo F. The novel coronavirus (2019-nCoV) in pregnancy: what we need to know. *Eur J Obstet Gynecol Reprod Biol.* 2020 Jun;249:92-9
 14. Di Mascio D, Khalil A, Saccone G, Rizzo G, Buca D, Liberati M, Vecchiet J, Nappi L, Scambia G, Berghella V, D'Antonio F. Outcome of coronavirus spectrum infections (SARS, MERS, COVID-19) during pregnancy: a systematic review and meta-analysis. *Am J Obstet Gynecol MFM.* 2020 May;2(2):100107

15. Saccone G, Florio A, Aiello F, Venturella R, De Angelis MC, Locci M, Bifulco G, Zullo F, Di Spiezio Sardo A. Psychological impact of coronavirus disease 2019 in pregnant women. *Am J Obstet Gynecol*. 2020 Aug;223(2):293-295
16. Boelig RC, Manuck T, Oliver EA, Di Mascio D, Saccone G, Bellussi F, Berghella V. Labor and delivery guidance for COVID-19. *Am J Obstet Gynecol MFM*. 2020 May;2(2):100110
17. Boelig RC, Saccone G, Bellussi F, Berghella V. MFM Guidance for COVID-19. *Am J Obstet Gynecol MFM*. 2020 May;2(2):100106
18. Saccone G. Get your obstetric inpatient and outpatient units ready for COVID-19. *Minerva Ginecol* 2020 Aug;72(4):185-186
19. Bitonti G, Palumbo AR, Gallo C, Rania E, Saccone G, De Vivo V, Zullo F, Di Carlo C, Venturella R. Being an obstetrics and gynaecology resident during the COVID-19: Impact of the pandemic on the residency training program. *Eur J Obstet Gynecol Reprod Biol*. 2020 Aug 1;253:48-51
20. Carbone L, Mappa I, Sirico A, Di Girolamo R, Saccone G, Di Mascio D, Donadono V, Cuomo L, Gabrielli O, Migliorini S, Luviso M, D'antonio F, Rizzo G, Maruotti GM. Pregnant women's perspectives on severe acute respiratory syndrome coronavirus 2 vaccine. *Am J Obstet Gynecol MFM*. 2021 Jul;3(4):100352. doi: 10.1016/j.ajogmf.2021.100352. Epub 2021 Mar 23. PMID: 33771762; PMCID: PMC7985679.
21. Carbone L, Raffone A, Sarno L, Travaglino A, Saccone G, Gabrielli O, Migliorini S, Sirico A, Genesio R, Castaldo G, Capponi A, Zullo F, Rizzo G, Maruotti GM. Invasive prenatal diagnosis during COVID-19 pandemic. *Arch Gynecol Obstet*. 2021 Oct 7:1–5. doi: 10.1007/s00404-021-06276-4. Epub ahead of print. PMID: 34618213; PMCID: PMC8495187.
22. Carbone L, Mappa I, Sirico A, Girolamo RD, Saccone G, Mascio DD, Donadono V, Cuomo L, Gabrielli O, Migliorini S, Luviso M, D'antonio F, Rizzo G, Maruotti GM. Pregnant women perspectives on SARS-COV-2 vaccine: Condensation: Most of Italian pregnant women would not agree to get the SARS-COV-2 vaccine, irrespective of having features of high

- risk themselves, or being high-risk pregnancies. *Am J Obstet Gynecol MFM*. 2021 Mar 23:100352. doi: 10.1016/j.ajogmf.2021.100352
23. Saccone G, Zullo F, Di Mascio D. Coronavirus disease 2019 vaccine in pregnant women: not so far! The importance of counselling and the need for evidence-based data. *Am J Obstet Gynecol MFM* 2021 Feb 1;3(3):100324
24. Stanton T, Bateson D. Effects of the COVID-19 pandemic on family planning services. *Curr Opin Obstet Gynecol*. 2021 Oct 1;33(5):425-430. doi: 10.1097/GCO.0000000000000746. PMID: 34419994.
25. Brandell K, Vanbenschoten H, Parachini M, Gomperts R, Gemzell-Danielsson K. Telemedicine as an alternative way to access abortion in Italy and characteristics of requests during the COVID-19 pandemic. *BMJ Sex Reprod Health*. 2021 Oct 25:bmjsrh-2021-201281. doi: 10.1136/bmjsrh-2021-201281. Epub ahead of print. PMID: 34697044; PMCID: PMC8550869.
26. Sofia Jovina Domingues, Mariana Ormonde, Andreia Miguel, Andreia Martins, Isabel Saavedra, Maria do Carmo Silva. Repercussions of the COVID-19 pandemic in the emergency department of Gynecology and Obstetrics at a referral hospital in Portugal. *Ital J Gynaecol Obstet*. Vol. 34 (No. 1) 2022 March , 30-34 doi: 10.36129/jog.34.01.05