

Provisionally accepted for publication

ORIGINAL ARTICLE

The relationship of Perceived Social Support with Sexual Satisfaction and Marital Commitment in Iranian married women

Somayeh **Pourhosein**¹, Zeinab **Jalambadani**^{2,3*}

¹ Department of Midwifery, Torbat Jam Faculty of Medical Sciences, Torbat Jam, Iran.

² Department of Community of Medicine, School of Medicine, Sabzevar University of Medical Sciences, Sabzevar, Iran

³ Non-Communicable Diseases Research Center, School of Medicine, Sabzevar University of Medical Sciences, Sabzevar, Iran

Doi: 10.36129/jog.2023.131

***Corresponding author:** Zeinab **Jalambadani**, Department of Community of Medicine, School of Medicine, Sabzevar University of Medical Sciences, Sabzevar, Iran.

E-mail: jalambadaniz@gmail.com, jalambadaniz@medsab.ac.ir.

ORCID: 0000-0003-0803-7679.

ABSTRACT

Objective. Perceived social support is another effective factor in sexual satisfaction and marital commitment. This study aimed to determine the relationship of perceived social support with sexual satisfaction and marital commitment in Iranian married women in 2022.

Materials and Methods. This cross-sectional study was conducted on 330 women who attended the Women's Healthcare Clinic in Iran from June to December 2022. The questionnaires were Larsson sexual satisfaction and marital commitment Adams and Sarason's Perceived Social Support were assessed. Data were analyzed using Pearson, independent t, one-way ANOVA tests, and descriptive statistics.

Results. The mean age of women was 27.45 ± 5.77 years. There was a significant correlation of perceived social support with sexual satisfaction and marital commitment $p < 0.01$, $r = 0.678$). An adjusted general linear model showed a significant statistical relationship of perceived social support with sexual satisfaction (B: 0.7; 95%CI: 0.6 to 0.8; $p < 0.001$), and marital commitment, (B: 0.3; 95%CI: 0.2 to 0.4; $p < 0.001$).

Conclusions. Women with more perceived social support levels had higher sexual satisfaction and marital commitment. Therefore, health planners should adopt strategies to increase perceived social support, sexual satisfaction and marital commitment in married women.

Key words

Marital commitment; sexual satisfaction; women; perceived social support.

Introduction

Marital commitment is strongest and the vast majority stable foreseeing component from claiming personal satisfaction and soundness of a marriage [1]. When couples require whole deal perspectives also they settle on sacrifices with the individual relationship. They settle on every attempt ought to stay with likewise strengthen their bonds also they remain wedded in reality setting of this purpose when fizzles [2]. There might be a join between higher levels of matrimonial commitment in addition, extra need expression, higher flexible additionally reliability to matrimonial relationship, better issue comprehending abilities in addition matrimonial commitment, additionally more levels matrimonial guarantee are joined with matrimonial exhaustion. It seems to make that commitment should existence accomplice also furthermore guarantee will association about might make way [3]. It seems that commitment will friend also commitment with station form will be vital [3]. Despite several investigations compelling reason has been guided to Iranian amount to illustrate. Side of the point toward purpose lion's sharing of the information concerning matrimonial dissatisfaction, sexual frustration. Underpins the those larger part purpose behind matrimonial frustration done Iran [4-5]. This research might make supportive will distinguish a few factors influencing around sexual satisfaction. Moving forward, this consciousness might convince social insurance suppliers to create context-based. Project to tending to conjugal satisfaction, thereby, higher conjugal fulfillment might lead with crew dependability.

Perceived social support is another effective factor in sexual satisfaction and marital commitment [4]. It can be defined as the presence or availability of reliable friends. Those who let us know they care about, value, and love us [6]. Perceived social support emphasizes the availability of and a quality relationship with people who provides us with supportive resources as necessary. It consists of emotional, instrumental, and informational support [7]. Its existence helps individuals maintain physical health, improves adjusting to and treating illness, and reduces psychiatric symptoms. It also helps an individual deal with the anxiety and loneliness following the death of a family member [2]. Couples can reduce stressful events in life or prevent them through perceived social support. It creates positive reinforcement and a sense of belonging and enhances satisfaction in marriage and life. This support acts as a shield or buffer against environmental stresses such as marital issues and loss. Those receiving perceived social support in their marriage are less prone to physical and psychological issues and experience more marital commitment [8, 9]. The quality of sexual relations, the satisfaction level in such relations, and marital commitment are crucial factors in the family and society's health. We found no previous study on the relationship between perceived perceived social support with sexual satisfaction and marital commitment. This study aimed to determine the relationship between perceived social support and both sexual satisfaction and marital commitment in married females referring to health centers in Iran.

Materials and Methods

This is a descriptive-analytical cross-sectional study on 330 married women of reproductive referring to health centers in Iran in 2022.

Inclusion criteria

1. Married women of 15-49 years.
2. Having a tendency to participate in the study.
3. Being Iranian.

Exclusion criteria

1. Women during breastfeeding
2. menopausal women
3. pregnant women
4. Consumption of hormonal drugs.

Ethical approval(IR.NUMS.REC.1397.027) for this study was gained from the research ethics committee at Iran. Before the enrolment, an informed consent was obtained from all of the participants.

The sample size was calculated based on study on perceived social support for women of reproductive age [20]. According to the formula, the sample size was 300, and, by adding 10% for drop-outs, the sample size was increased to 330.

$$n = \frac{(Z1 - \frac{\alpha}{2})^2 (P \times q)}{(d)^2}$$
$$n = \frac{(Z1 - \frac{\alpha}{2})^2 (P \times q)}{(d)^2} = \frac{0.895}{0.003} = 298.33 \sim 330$$

$$P=0.63$$

$$Q= 0.37$$

$$d=0.1 \times P$$

This cross-sectional study was conducted using a convenience sampling method on 330 women. In each selected center, the appropriate number of samples was calculated as a fraction of the total sample size according to the center's demographics (number of married female clients of the center between 15 and 49 years old). The researcher contacted those people using their filed contact numbers and gave them a brief explanation of the research reasons, workflow, and methods. Individuals were evaluated by inclusion and exclusion criteria in the same call. The eligible ones were asked to attend the corresponding health center on a certain date and time to fill out the questionnaires. The visiting people were provided with comprehensive information regarding the research necessity, benefits, results, workflow, and confidentiality of information. They were then asked to fill out a consent form. Finally, data were collected through study questionnaires via interviews with participants. The instruments for this study are the socio-demographic characteristics questionnaire, the Marital Commitment Adams Questionnaire, Marital Commitment Adams scale, The Larsson sexual satisfaction scale.

This consists of questions about age, duration of the marriage, education level, women's job, husband's job, the adequacy of household income, place of residence, marital commitment, and the number of children.

Marital commitment Adams (1997) standard questionnaire was applied. This questionnaire covers three aspects of personal commitment (questions -4-8-10-11-14-16-18-21-24-25-27-28-31-32 35-36-38-44), moral commitment (questions -6-9-13-20-22-23-26-29-30-34-37-41) and structural commitment (questions -5-7-12-15-17-19-33-39-40-42-43) and consists of 44 questions. 5-level Likert spectrum is used to answer the questions, with 1 being very little and 5 being very much. Most of the items of the questionnaire are scored directly, but

questions (11 – 12- 16-23-28-29-30-32-34-35-36-38) are scored in reverse order. The general scoring range is between 1 and 172 and the higher scores show higher levels of marital commitment. The instrument's Cronbach's alpha and Interclass Correlation Coefficient (ICC) were 0.84 and 0.9, respectively (20).

The questionnaire contains 25 questions with quintuple-choice answers based on a Likert scale of 1-5 scores. Scores of 25-50, 51-75, 76-100, and 101-125 denote zero, low, intermediate, and high sexual satisfaction levels, respectively high sexual satisfaction levels. The Cronbach's alphas for perceived social support, sexual satisfaction, and marital commitment were 0.82, 0.92, and 0.95, respectively.

Data collected by questionnaires were entered into SPSS ver. 22. Quantitative and qualitative variables were reported using mean (SD: standard deviation), and frequency (percentage) indices, respectively. The normality of the data was measured using kurtosis and skewness. All the data were normally distributed. Pearson correlation test was used for the univariate analysis of the relationships between perceived social support, and both marital commitment and sexual satisfaction, and a general linear model adjusted by socio-demographic information was used for the multivariate analysis. The socio-demographic variables that had a relationship with marital commitment or sexual satisfaction were entered into the model as possible confounders ($p < 0.2$). A p-value less than 0.05 was considered statistically significant.

Results

The mean (SD) of participants' age and marriage durations were 36.1 (10.7) and 14.3 (9.5). A little more than half of them (50.7%) were high school graduates and most of their husbands were either college graduates (48.3%) or high school graduates (43.2%). The reported occupation of about half of their husbands was self-employment (48.3%) and the reported household income was somewhat sufficient (70.2%). Nearly half of them (44.5%) had two or more children and were somewhat satisfied with their marriage (62.3%).

There was a significant correlation between sexual satisfaction with age ($p = 0.659$) and marriage duration ($p = 0.830$). According to one-way ANOVA results, mean sexual satisfaction and marital commitment scores were significantly associated with the woman's and husband's education ($p < 0.05$), husband's occupation, household income and place of residence, ($p < 0.001$) (B: 0.4; 95% CI: 0.2 to 0.4; $P < 0.001$) (Table 1). The mean (SD) of scores for perceived social support, sexual satisfaction, and marital commitment was 100 (18.8), 50.2 (18.5), and 145.9 (11.8), respectively. The score ranges for the same variables were 25-175, 0-100, and 40-160, respectively. Perceived social support had an average positive correlation with marital commitment ($P < 0.001$; $r = 0.57$) and a good positive correlation with sexual satisfaction ($P < 0.001$; $r = 0.83$). (B: 0.4; 95% CI: 0.2 to 0.4; $P < 0.001$) (Table 2).

In order to determine the relationship between perceived social support and marital commitment based on the general linear model with the adjustment of basic characteristics, the variables of the woman's education, husband's education and occupation, family income, and place of residence were entered into the model. Perceived social support and marital commitment were significantly related after this adjustment ($p < 0.001$). An increase in the perceived social support score would increase the marital commitment score (B: 0.4; 95% CI: 0.2 to 0.4; $P < 0.001$) (Table 3). The variables including the woman's age and education, marriage duration, husband's education and occupation, household income, and place of residence entered into the model in order to determine the relationship between perceived social support and sexual satisfaction based on the general linear model. There was a

significant relationship between sexual satisfaction and perceived social support ($P < 0.001$). An increase in the perceived social support score would increase the sexual satisfaction score (B: 0.7; 95% CI: 0.6 to 0.8; $P < 0.001$) (Table 4).

Discussion

This study aimed to determine the relationship between perceived social support and both marital commitment and sexual satisfaction, in married women referring to health centers in Iran. Its results indicated that the mean perceived social support and marital commitment scores of participants were high, and sexual satisfaction was average. The positive correlation was moderate between perceived social support and marital commitment and good between perceived social support and sexual satisfaction. An adjusted general linear model showed a significant relationship between perceived social support and both sexual satisfaction and marital commitment.

The study demonstrated a significant statistical correlation between perceived social support and marital commitment. Theoretical models of perceived social support emphasize the priority of support received from spouses to improve marital performance [25]. Such support acts as a psychological distress alleviation tool in couples' relationships. It is correlated negatively with depression and anxiety and positively with marital adjustment [19]. Supportive measures initiate several cognitive and emotional development in couples. These developments enhance the marital relationship and prevent marital conflict, distress, and deterioration [26]. Our findings are consistent with Rafiee et al. [27] results showing that lifestyle and perceived social support predict marital commitment in the elderly. Khodabakhshi et al. [28] results also indicated a positive significant correlation between family, friends, and other people's perceived social support components and sexual satisfaction [28]. Abbasi et al. [19] observed a significant correlation between perceived social support and marital commitment in nurses. Marital commitment also increases with the husband's support, as the most significant source, in mothers suffering breast cancer in Ay et al. [2] study.

Our study also showed a positive correlation between sexual satisfaction and marital commitment. Marital commitment components are personal (such as affection expression by the spouses toward each other), environmental (such as equative decision-making and financial income management, and sharing tasks and issues) [25]. According to existing studies, the couples' ability to express sexual desire is one of the most effective factors in sexual function and marital commitment [29]. Peixoto M M [30] confirmed that lower sexual satisfaction can cause marital despair [30]. It is mostly due to the more frequent sexual relations of women who share their sexual desires and feelings with their husbands and have high sexual intimacy with them. This leads to improved marital commitment [15]. According to Lee et al. [31] study, lack of sexual satisfaction in female university students was a predictive factor for not being maritally satisfied. Woerner J and Abbey A [32] observed that couples' sexual satisfaction could predict sexual pleasure. This is associated with positive emotions in marital relationships. Dehghani Champiri et al [5] in a cross-sectional study also indicated a positive correlation between marital commitment and sexual satisfaction in married women and men. In Shamspour S et al [33]. Interventional study, providing sexual counseling increased sexual satisfaction, which in turn improved the couples' marital commitment.

Healthy sexual relations and desires positively affect marital commitment. This enhances mental health and creates healthy families. Extensively promoting sexual satisfaction education, particularly in societies where women generally suffer low sexual satisfaction and

patriarchal gender stereotypes prevail, (including many Asian countries such as Iran) seems essential [33-34].

Accumulating evidence suggests that postpartum period and psychological are strongly associated with female sexual dysfunction (FSD). Pregnancy and continuing into the postpartum period. Both the health professionals (nurses/midwives) who supervise the stages of pregnancy as well as health institutions should play their part in promoting this care [35-36].

The experience of gynaecologic cancer and treatment with surgery, chemotherapy and/or radiation is that it affects the sexual function and psychological well-being of patients [37,38].

Women with provoked vestibulodynia (PVD) suffer from experiencing high levels of sexual dysfunction and associated distress, including difficulties with desire, arousal, orgasm and satisfaction [39].

One of the strengths of this study was that women of reproductive ages that were not pregnant, cancer, menopause, provoked vestibulodynia or lactating period were examined, because these situations could have different effects on sexual function. Therefore, it is suggested that effects of stress on sexual function in the mentioned groups can be studied.

This study was conducted only on women referred to public health clinics in Iran, so the results may not represent the entire population. Besides, because of the cultural and religious limitations in our society, people may not be able to speak easily about their sexual issues, so the potential insecurity of some people in expressing explicitly their issues was a limitation. Provoked vestibulodynia investigation is not done and was limitation of study.

Conclusions

This study showed a moderate positive correlation between perceived social support and marital commitment in married women referring to health centers. It also indicated a good positive correlation between perceived social supported sexual satisfactions in the same group.

Considering the importance of sexual satisfaction in the family and the impacts on marital commitment and satisfaction of couples, health policy makers and family counselors should provide women with training strategies, so that they can take a step forward towards safe fertility.

COMPLIANCE WITH ETHICAL STANDARDS

Author contribution

Z.J. entirely contributed to this work.

Funding

None.

Study registration

N/A.

Disclosure of interests

The author declare that she has no conflict of interests.

Ethical approval

Ethical approval in this study, all procedures performed on human samples were conducted following the relevant guidelines and regulations of the Helsinki Declaration. The study protocol was approved by the Research Ethics Committee in Iran.

Informed consent

Written informed consent was obtained from the participants for publication of this research.

Data sharing

Data are available under reasonable request to the corresponding author. The data are not publicly available due to their containing information that could compromise the privacy of research participants.

References

1. Halajian Z, Babakhani V, Pooyamanesh J, Jafari A. Comparison of the effectiveness of couple therapy based on acceptance and commitment and couple therapy based on guttman method on marital commitment. *J Psychol Sci.* 2022;21(115):1485-1501. doi: 10.52547/JPS.21.115.1485.
2. Gharlipour Z. Relationship of sexual satisfaction with spiritual health and demographic characteristics in women referring to health centers in Qom. *Health Spiritual Med Ethics.* 2020;7(4):1-7. doi: 10.52547/jhsme.7.4.1.
3. Ghorbani B, Shahnazari M, Hosseindoust SS, Sehat Z. Predicting Home Violence, According to Perceived Social Support and Marital Satisfaction for Infertility Women in Tehran,(Iran). *JSBCH.* 2022;6(2):920-931. doi: 10.18502/jsbch.v6i2.11143.
4. Esfandiyari Baghbemidi F, Hajjalizadeh K, Amirfakhraei A. The Relationship between Family Function, Marital Function and Perceived Social Support of Mothers with their Child Abuse Mediated by Anxiety. *Iran Evol Psychol J.* 2022;4(1):84-91. doi: 10.52547/ieepj.4.1.84.
5. Dehghani Champiri F, Dehghani A. Predicting sexual satisfaction in Iranian women by marital satisfaction components. *Sex Relation Ther.* 2020;1-15. doi: 10.1080/14681994.2020.1736279.
6. Otero MC, Wells JL, Chen KH, Brown CL, Connelly DE, Levenson RW, et al. Behavioral indices of positivity resonance associated with long-term marital commitment. *Emotion.* 2020;20(7):1225. doi: 10.1037/emo0000634.
7. Seyyedzadeh-Aghdam N, Chizari M, Vakilian K, Ranjbarvar M. Prognostic factors of sexual dysfunction in women in Tehran. *J Mazandaran Univ Med Sci.* 2016;26(144):361-357.
8. Asadi E, Mansour L, Khodabakhshi A, Fathabadi J. The relationship between couple burnout, sexual satisfaction, and sexual dysfunctional beliefs in women with diabetic husbands and comparing them with women with non-diabetic husbands. *J Fam Res.* 2013;9(3):24-311.

9. Hatfield EC, Luckhurst C, Rapson RL. Sexual motives: The impact of gender, personality and sexual motives on sexual behavior-especially risky sexual behavior. *Interpersona*. 2011;5:95-133. doi: 10.5964/ijpr.v5i2.60.
10. Santos-Iglesias P, Sierra JC, Vallejo-Medina P. Predictors of sexual satisfaction: The role of sexual desire, Attitudes and partner abuse. *Arch Sex Behav*.2013;42(6):1043-52. doi:10.1007/s10508-012-9998-3.
11. Zhang H, Xie L, Lo SST, Fan S, Yip P. Female sexual assertiveness and sexual satisfaction among Chinese couples in Hong Kong: A dyadic approach. *The J Sex Res*. 2022;59(2):203-211. doi: 10.1080/00224499.2021.1875187.
12. Seyedzadeh-Aghdam N, Chizari M, Vakilian K, Ranjbaran M. Predictors of female sexual self-disclosure in Tehran. *J Mazandaran Univ Med Sci*. 2017;26(144):357-61.
13. Mallory AB. Dimensions of couples' sexual communication, relationship satisfaction, and sexual satisfaction: A meta-analysis. *J Fam Psychol*. 2021;36(3):358–371. doi: 10.1037/fam0000946.
14. Rahnama P, Hidarnia A, Shokravi FA, Kazemnejad A, Oakley D, Montazeri A. Why Iranian married women use withdrawal instead of oral contraceptives? A qualitative study from Iran. *BMC Public Health*.2010;10:289. doi: 10.1186/1471-2458-10-289.
15. Hurlbert DF. The role of assertiveness in female sexuality: A comparative study between sexually assertive and sexually nonassertive women. *J Sex Marital Ther*. 1991;7(3):183-90. doi: 10.1080/00926239108404342.
16. Sarason IG, Levine HM, Basham RB, Sarason BR. Assessing perceived social support: The perceived social support questionnaire. *J Pers Soc Psychol*.1993; 44:127. doi: 10.1037/0022-3514.44.1.127.
17. Peterson SJ, Bredow TS. *Middel Range Theoris Application to Nursing Research*. Lippincott, Williams. 2004.
18. Kazim SM, Rafique R. Predictors of marital commitment in individualistic and collectivist cultures: a mini review. *J Res Psychol*. 2021;3(1):55-67. doi: 10.31580/jrp.v3i1.1958.
19. Abbasi G, Montazar A. The relationship between appreciation, sense of humor and perceived social support with marital commitment in nurses. *Journal of Health and Care*. 2019;21(1):34-43. doi:10.29252/jhc.21.1.34.
20. Baheiraei A, Mirghafourvand M, Mohammadi E, Charandabi SM, Nedjat S. Perceived social support for women of reproductive age and its predictors: a population-based study. *BMC Womens Health*.2012;12(1):1-7. doi:10.1186/1472-6874-12-30.
21. Weinert C, Brandt P. Measuring perceived social support with the PRQ. *West J Nurs*. 1987;9:589-602.
22. Yousefi N, Farsani K, Shakiba A, Hemmati S, Nabavi Hesar J. Halbert Index of Sexual Desire (HISD) Questionnaire Validation. *Clin Psychol Personal*. 2014;2:107–118. doi: 20.1001.1.23452188.1392.11.2.12.0.
23. Olson D H. Prepare/Enrich. *Encyclopedia of Couple and Family Therapy*. 2019;2305-2309. doi: 10.1007/978-3-319-49425-8_402.

24. Bafrani MA, Nourizadeh R, Hakimi S, Mortazavi SA, Mehrabi E, Vahed N. The Effect of Psychological Interventions on Sexual and Marital Satisfaction: A Systematic Review and Meta-Analysis. *Iran J Public Health*. 2023;52(1):49. doi: 10.18502/ijph.v52i1.11666.
25. Dehle C, Landers JE. You can't always get what you want, but can you get what you need? Personality traits and perceived social support in marriage. *J Soc Clin Psychol*. 2005;24(7):1051. doi:10.1521/jscp.2005.24.7.1051.
26. Okoh E, Edu E, Elizabeth O. Relationship between spousal support and marital commitment among married bank female workers in consolidated banks in Warri metropolis. *Journal of Emerging Trends in Educational Research and Policy Studies*. 2015;6(6):432-38.
27. Rafiee S, Toozandehjani H, Ahooei MR. Relationship of lifestyle and perceived social support with marital commitment of elderly population. *Iranian Journal of Ageing*. 2016;11(2):226-33. doi: 10.21859/sija-1102226.
28. Khodabakhshi-Koolae A, Mirafzal NS. Relationship between humor and perceived social support with sex satisfaction in elderly married women. *J Gerontol*. 2017;2(2):1-0. doi:10.29252/joge.2.1.1.
29. Saadat M, Ansari-Lari M, Farhud DD. Consanguineous marriage in Iran. *Ann Hum Biol*. 2004;31:263-69.
30. Peixoto M M, Lopes J. Solitary and dyadic sexual desire and sexual satisfaction in women with and without sexual concerns. *J Sex Marital Ther*.2023;49(1):77-87. doi: 10.1080/0092623X.2022.2077271.
31. Lee JY. Predictors of female college students' relationship satisfaction: attachment and sexual satisfaction. *Psychol Stud*. 2017;62(1):70-74. doi:10.1007/s12646-017-0389-7.
32. Woerner J, Abbey A. Positive feelings after casual sex: The role of gender and traditional gender-role beliefs. *J Sex Res*. 2017;54(6):717-27. doi: 10.1080/00224499.2016.1208801.
33. Shamspour S, Heidari H, Zanganeh F, Davoodi H. The effectiveness of integrated couple therapy training on commitment, intimacy, individual and interpersonal forgiveness in couples with marital boredom. *JPPW*.2022;6(1):1273-1280.
34. Jalambadani Z. Education based on the Trans-Theoretical Model on sexual function of married women in Iran. *Ital J Gynaecol Obstet*. 2022;34(4):254-261. doi: 10.36129/jog.2022.23.
35. Hidalgo-Lopezosa. Factors associated with postpartum sexual dysfunction in Spanish women: A cross-sectional study. *J Personalized Med*. 2022;12(6):926.
36. Laganà A, Burgio M, Ciancimino L, Sicilia A, Pizzo A, Magno C, et al. Evaluation of recovery and quality of sexual activity in women during postpartum in relation to the different mode of delivery: a retrospective analysis. *Minerva Ginecol*. 2015;67(4):315-20.
37. Vitale SG, La Rosa VL, Rapisarda AMC, Laganà AS. Fertility preservation in women with gynaecologic cancer: the impact on quality of life and psychological well-being. *Human Fertil*. 2018;21(1):35-38.
38. D'Oria O, D'Auge TG, Baiocco E, Vincenzoni C, Mancini E, Bruno V, et al. The role of preoperative frailty assessment in patients affected by gynecological cancer: A narrative review. *Ital J Gynaecol. Obstet*. 2022;34(2):76-83. doi: 10.36129/jog.2022.34.

39. De Seta F, Stabile G, Antoci G, Zito G, Nappi RE. Provoked Vestibulodynia and Topical Treatment: A New Option. Healthcare. 2022.

Manuscript accepted for publication

Table 1. Demographic characteristics of women and their relationship Perceived Social Support with Sexual Satisfaction and Marital Commitment in Iranian women

Characteristics	Number (Percent) or Mean (SD)	Sexual satisfaction Mean (SD)	P-value	Marital commitment Mean (SD)	P-value
Age (years)	35.1 (10.7) *	0.03 ^a	0.659 ^b	0.08 ^a	0.254 ^b
Marriage age (month)	11.3 (9.5) *	0.01 ^a	0.830 ^b	0.05 ^a	0.282 ^b
Women's educational level					
Illiterate and Primary	14 (4.24)	36.4 (16.2)	0.014 ^c	133.0 (6.6)	0.003 ^c
Secondary school	12 (6.68)	43.6 (17.5)		129.8 (6.7)	
High school	30 (9.09)	48.0 (21.8)		9.9)(130.0	
diploma	167 (50.6)	53.2 (19.2)		135.5 (12.0)	
University	97 (29.39)	54.5 (18.9)		138.9 (11.9)	
Husband's education level					
Primary and Secondary school	7 (2.4)	34.9 (14.9)	0.004 ^c	135.7 (12.4)	0.025 ^c
High school	18 (6.2)	55.7 (19.8)		134.2 (10.1)	
diploma	126 (43.2)	49.0 (19.8)		133.8 (11.7)	
University	179 (54.24)	55.4 (18.5)		135.9 (11.8)	
Women's occupation					
Housewife	197 (59.69)	50.5 (18.9)	0.111 ^d	135.1 (11.5)	0.114 ^d
Employed	133 (45.5)	54.2 (19.9)		136.8 (12.1)	
Husband's occupation					
Unemployed	28 (9.6)	41.2 (16.4)	<0.001 ^c	130.7 (8.7)	<0.001 ^c
Employee	93 (31.8)	54.6 (19.9)		138.9 (11.6)	
Worker	30 (10.3)	42.6 (18.6)		128.3 (9.3)	
self-employment	179 (54.24)	54.7 (18.6)		136.5 (12.0)	
Sufficiency of income for family expenses					

Sufficient	23 (7.9)	62.8 (13.6)	<0.001 ^c	143.4 (9.3)	<0.001 ^c
Somewhat sufficient	205 (70.2)	55.7 (18.4)		137.3 (11.9)	
Insufficient	102(30.90)	36.9 (16.5)		128.4 (8.6)	
Place of residence					
Private house	91 (31.2)	58.2 (16.0)	<0.001 ^c	140.4 (12.3)	<0.001 ^c
Rented house	120 (41.1)	51.8 (19.5)		135.4 (11.3)	
The house of the woman's parents	87 (26.36)	44.6 (21.8)		132.0 (9.4)	
The house of the husband's parents	32 (11)	47.7 (20.4)		130.7 (11.4)	
Satisfaction with married life					
Completely satisfied	18 (6.2)	66.6 (10.0)	<0.001 ^c	145.7 (10.0)	<0.001 ^c
Somewhat satisfied	220 (66.66)	60.15 (15.6)		139.3 (10.6)	
Dissatisfied	92 (31.5)	33.5 (13.6)		127.2 (9.2)	
The number of children					
1	100 (34.2)	52.42(19.9)	0.898 ^c	136.6 (10.7)	0.393 ^c
2	168 (50.9)	52.43(20.0)		134.9 (12.5)	
3≤	62 (21.2)	51.1(18.0)		136.6 (12.1)	

* Mean (SD); ^a correlation coefficient; ^b Pearson correlation test; ^c One-way ANOVA; ^d Independent t-test

Table 2. Correlation of perceived social support with marital commitment and sexual satisfaction

Variable	Mean (SD)	Obtained score range	Obtainable score range	Correlation with perceived social support r^a (P-value^b)
Perceived social support	100.0 (18.8)	57 to 141	25 to 175	-
Sexual satisfaction	50.2 (18.5)	4 to 89	0 to 100	0.78 (<.001)
Marital commitment	145.9 (12.8)	101 to 166	40 to 160	0.59 (<.001)

^a Correlation coefficient; ^b Pearson correlation test

Table 3. Relationship of perceived social support with marital commitment based on the general linear model

Variable	β (95% CI)	P-value*
Perceived Social Support	0.4 (0.2 to 0.4)	< 0.001

Manuscript accepted for publication

Table 4. Relationship of perceived social support with sexual satisfaction based on the general linear model

Variable	β (95% CI)	P-value*
Perceived social support	0.8 (0.6 to 0.8)	< 0.001

Manuscript accepted for publication