

























[46] Vitale SG, Riemma G, Haimovich S, Carugno J, Alonso Pacheco L, Perez-Medina T, Parry JP, Török P, Tesarik J, Della Corte L, Cobellis L, Di Spiezio Sardo A, De Franciscis P. Risk of endometrial cancer in asymptomatic postmenopausal women in relation to ultrasonographic endometrial thickness: systematic review and diagnostic test accuracy meta-analysis. *Am J Obstet Gynecol*. 2023 Jan;228(1):22-35.e2. doi: 10.1016/j.ajog.2022.07.043

[47] Coimbra AC, Falcão V, Pinto P, Cavaco-Gomes J, Fernandes AS, Martinho M. Predictive Factors of Tolerance in Office Hysteroscopy - a 3-Year Analysis from a Tertiary Center. *Rev Bras Ginecol Obstet*. 2023 Jan;45(1):38-42. doi: 10.1055/s-0043-1764361.

[48] Pegoraro A, Santos ME, Takamori JT, Carvalho WAP, Oliveira R, Barbosa CP, van Nimwegen Â. Prevalence and intensity of pain during diagnostic hysteroscopy in women attending an infertility clinic: analysis of 489 cases. *Einstein (Sao Paulo)*. 2019 Dec 13;18:eAO4916. doi: 10.31744/einstein\_journal/2020AO4916.

Manuscript accepted for publication

**Table 1.** The Frequency of Endometrial Polyps and Anatomopathologic Positivity for Malignancy at Hysteroscopy According to Clinical Characteristics and Endometrial Thickness.


Parameter Assessed	M ( $\pm$ dp)	Endometrial Polyps at Hysteroscopy M ( $\pm$ dp)	P	Pathology Showing Malignancy M ( $\pm$ dp)	P
Age	52.59 $\pm$ 12.65	55.87 $\pm$ 11,14	<.001	63.89 $\pm$ 8.17	.044
IMC (kg/m <sup>2</sup> )	29.14 $\pm$ 5.32	29.29 $\pm$ 5.43	0,418	29.08 $\pm$ 6.44	<.001
	<b>N(%)</b>	<b>N(%)</b>	<b>P</b>	<b>N(%)</b>	<b>P</b>
Post-Menopausal Women	Yes 793 (53.98)	350 (44.13)	<.001	17 (2.14%)	<.001
	No 676 (46.02)	177 (26.18)		1 (0.14%)	
Chronic Hypertension	Yes 499 (33.97)	216 (43.28)	<.001	9 (1.80)	<.001
	No 970 (66.03)	311 (32.06)		9 (0.93)	
Type 2 Diabetes Mellitus	Yes 170 (11.57)	67 (39.41)	.34	4 (2.35)	5.55
	No 1299 (88.43)	460 (35.41)		14 (1.08)	
Use of Tamoxifen	Yes 27 (1.84)	11 (40.74)	.54	0 (0)	.28
	No 1442 (98.16)	516 (35.78)		18 (1.24)	
Hormone Therapy	Yes 14 (0.95)	0	1.14	0 (0)	1.14
	No 1455 (99.05)	9(0.2)		9 (0.62)	
Obesity	Yes 433 (29.47)	156 (36.03)	.48	7 (1.62)	<.001

No 1036                      227 (21.91)                      7 (0.67)  
 (70.53)


<b>Endometrial Thickness in Postmenopause</b>					
> 4 e ≤ 10 mm	174 (11.84)	74 (42.53)	.374	1 (0.57)	.035
> 10 e ≤ 16 mm	53 (3.61)	28 (52.83)	.598	1 (1.89)	.072
> 16 mm	22 (1.50)	12 (54.54)	.577	2 (9.09)	.027

Manuscript accepted for publication


**Figure 1.** Classification of the Population According to Associated Comorbidities.



**Figure 2.** Analysis of the Reasons for Referral for Hysteroscopy.



**Figure 3.** Uterine Abnormalities Described in Hysteroscopies.



Manuscript accepted for publication